PoleVault System A/V Source Inputs

VGA Computer-Video, Composite Video, and Audio Source Inputs



COMMON FEATURES

- · Available exclusively as part of a PoleVault System
- Send video and stereo audio signals to a PVS 204SA switcher over CAT 5, 5e, or 6 UTP cable
- · Powered by the PVS 204SA switcher via twisted pair cable
- LED power indicator

DESCRIPTION

PoleVault System A/V Source Input Wallplates are designed to work exclusively with the PVS 204SA Four Input Twisted Pair PoleVault Switcher as part of a PoleVault System. All PVT Series source inputs can be used with any CAT 5, 5e, or 6 twisted pair cable. PoleVault A/V Source Inputs require no local power supply and are powered remotely by the PVS 204SA switcher via the twisted pair cable.

PVT Series inputs are available in four form factors:

Decora® wallplates: Designed for mounting in a one gang US external wall box.



EU wallplates: Designed for mounting in a European junction box with 60 mm mounting centers using the included matching Jung AS500 Series cover.




AAP modules: Provide flexible mounting options when used in conjunction with other products, such as Extron MediaLink $^{\sim}$ controllers with AAP openings, Extron AAP mounting frames, or third-party floorboxes.



Rack-mountable enclosures: Utilized in applications with space for permanently installing source equipment, such as in equipment closets, inside podiums, or credenzas.





Continued →

PVT Series

PVT CV D

PoleVault Composite Video and Stereo Audio Input - Decora Wallplate

UNIQUE FEATURES

- · Input: Three female RCA connectors for composite video and stereo audio
- · Output: One female RJ-45 connector
- · Mounts in an included Decora®-style wallplate
- · One-gang mud ring included



PVT RGB D

PoleVault VGA Video and Stereo Audio Input - Decora Wallplate

UNIQUE FEATURES

- Input: Female 15-pin HD connector and female 3.5 mm mini stereo jack for VGA computer-video with stereo audio
- · Output: Two female RJ-45 connectors
- · Mounts in an included Decora®-style wallplate
- · One-gang mud ring included



PVT CV EU NEW

PoleVault Composite Video and Stereo Audio Input -EU Wallplate

UNIQUE FEATURES

- Input: Three female RCA connectors for composite video and stereo audio; captive screw connector for IR pass-through
- Output: Spring force wire connectors
- · IR pass-through port for source control
- Mounts in European Junction Boxes with 60 mm centers
- · Includes matching Jung AS500 Series cover frame



PVT RGB EU NEW

PoleVault VGA Video and Stereo Audio Input - EU Wallplate

UNIQUE FEATURES

- Input: Female 15-pin HD connector and female 3.5 mm mini stereo jack for VGA computer-video with stereo audio
- · Output: Spring force wire connectors
- · Mounts in European Junction Boxes with 60 mm centers
- · Includes matching Jung AS500 Series cover frame











PVT CV AAP

PoleVault Composite Video and Stereo Audio Input - AAP Version

UNIQUE FEATURES

- Input: Three female RCA connectors for composite video and stereo audio
- · Output: One female RJ-45 connector
- . Mounts in products that accept a double space AAP Architectural Adapter Plate
- · Available in black and white



PVT RGB AAP

PoleVault VGA Video and Stereo Audio Input - AAP Version

UNIQUE FEATURES

- Input: Female 15-pin HD connector and female 3.5 mm mini stereo jack for VGA computer-video with stereo audio
- · Output: Two female RJ-45 connectors
- . Mounts in products that accept a double space AAP Architectural Adapter Plate
- · Available in black, white, and RAL9010 white

MODEL	VERSION DESCRIPTION	PART #
PVT RGB AAP	VGA - AAP Version - Black	70-580-12
PVT RGR AAP	VGA - AAP Version - White	70-580-13

PVT CV

PoleVault Composite Video and Stereo Audio Input

UNIQUE FEATURES

- Input: Three female RCA connectors for composite video and stereo audio
- · Output: One female RJ-45 connector
- · Rack-mountable, 1U, one-eighth rack width metal enclosure



Extro

MODEL	VERSION DESCRIPTION	PART #
PVT CV	Composite Video Input	. 60-827-11

PVT RGB

PoleVault VGA Video and Stereo Audio Input

UNIQUE FEATURES

- Input: Female 15-pin HD connector and female 3.5 mm mini stereo jack for VGA computer-video with stereo audio
- Output: Two female RJ-45 connectors
- Local monitor output
- Transmits high resolution video and stereo audio signals to a PVS 204SA switcher over two CAT 5, 5e, or 6 UTP cables

USA West

+1.714.491.1500 / +800.633.9876 +1.714.491.1517 FAX

Rack-mountable, 1U, quarter rack width metal enclosure





PVT Series

PVT RGB CV

PoleVault VGA Video, Composite Video, and Stereo Audio Input

UNIQUE FEATURES

- Inputs: Three female RCA connectors for composite video and stereo audio; one female 15-pin HD connector and female 3.5 mm mini stereo jack for RGB video with stereo audio
- · Output: Three female RJ-45 connectors
- · Rack-mountable, 1U, quarter rack width metal enclosure



MODEL VERSION DESCRIPTION PART # **PVT RGB CV** 60-828-11 VGA & Composite Video Input

PVT SW RGB

Dual PoleVault VGA Video and Stereo Audio Input With Integrated Switcher

UNIQUE FEATURES

- · Inputs: Two female 15-pin HD connectors and two 3.5 mm stereo mini jacks for VGA computer-video with stereo audio
- · Output: Two female RJ-45 connectors
- · Autoswitching mode selects highest active input
- · Local monitor output selectable for input one or output following
- · Rack-mountable, 1U, quarter rack width metal enclosure



MODEL VERSION DESCRIPTION **PVT SW RGB** Dual VGA Switcher 60-826-11



Japan +81.3.3511.7655 +81.3.3511.7656 FAX

